

SAFETY DATASHEET

FaçadeGard™ - Rainscreen Ventilated Fire Barrier

Issue Date: 30/8/2019

Review Date: 30/8/2024

NAME BOSS Passive Fire
ADDRESS Unit 1, 16 Atkinson Rd, Taren Point NSW 2229 AUSTRALIA
PHONE 1300 502 677
FAX 1300 602 677
EMAIL info@bossfire.com.au
WEB bossfire.com

1. SUBSTANCE IDENTIFICATION

| | |
|------------------------|--|
| Product Name | FacadeGard™, Rainscreen Ventilated Fire Barrier |
| Product Code | RSV-50, RSV-100, RSV-150, RSV-200, RSV-250, RSV-300, RSV-350, RSV-400, RSV-450 |
| Use/Description | PC1: Adhesives, Sealants |

2. CLASSIFICATION OF SUBSTANCE OR MIXTURE

| | |
|----------------------------------|---|
| Classification under CHIP | This product has no classification under CHIP |
| Classification under CLP | This product has no class |
| Label Elements | This product has no label elements |
| Other Hazards | This product is not identified as PBT substance |

3. FIRST AID MEASURES (SYMPTOMS)

| | |
|----------------------------------|--|
| Skin Contact | May be mild irritation at the site of contact |
| Eye Contact | May be irritation and redness |
| Ingestion | May be irritation of the throat |
| Inhalation | May be irritation of the throat with a feeling of tightness in the chest |
| Delayed/Immediate Effects | Immediate effects can be expected after short-term exposure |

4. FIRST AID MEASURES (ACTION)

| | |
|------------------------------------|---|
| Skin Contact | Wash immediately with plenty of soap and water |
| Eye Contact | Bathe the eye with running water for 15 minutes |
| Ingestion | Wash out mouth with water |
| Inhalation | Consult a doctor |
| Immediate/Special Treatment | Not Applicable |

5. FIRE FIGHTING MEASURES

| | |
|---------------------------------|--|
| Extinguishing Media | Suitable extinguishing media for the surrounding fire should be used |
| Exposure Hazards | In combustion emits toxic fumes |
| Advice for fire-fighters | Wear self-contained breathing apparatus Wear protective clothing to prevent contact with skin and eye |

6. ACCIDENTAL RELEASE MEASURES

| | |
|-----------------------------------|--|
| Personal Precautions | Refer to section 8 of MSDS for personal protection details |
| Environmental Precautions | Do not discharge into drains or rivers |
| Clean-up Procedures | Wash the spillage site with large amounts of water |
| Reference to Other Section | Refer to section 8 of MSDS |

7. HANDLING & STORAGE

| | |
|------------------------------|--|
| Handling Requirements | Avoid the formation or spread of dust in the air |
| Storage Conditions | Store in cool, well-ventilated area |
| Specific End Use(s) | No data available |

8. EXPOSURE CONTROL & PERSONAL PROTECTION

| | |
|----------------------------------|--|
| Workplace Exposure Limits | No data available |
| DNEL/PNEC | No data available |
| Engineering Measures | Ensure there is sufficient ventilation of the area |
| Respiratory Protection | Respiratory protective device with particle filter |
| Hand Protection | Protective gloves |
| Eye Protection | Safety glasses. Ensure eye bath is to hand |

| | |
|------------------------|---------------------|
| Skin Protection | Protective clothing |
|------------------------|---------------------|

9. PHYSICAL & CHEMICAL PROPERTIES

| | |
|--------------------------|-------------------|
| State | Solid |
| Colour | Yellow – green |
| Other Information | No data available |

10. STABILITY & REACTIVITY

| | |
|-----------------------------------|--|
| Reactivity | Stable under recommended transport or storage conditions |
| Chemical Stability | Stable under normal conditions |
| Hazardous Reactions | Hazardous reactions will occur under normal transport or storage conditions Decomposition may occur on exposure to conditions or materials listed below |
| Conditions to Avoid | Heat |
| Materials to Avoid | Strong oxidising agents, strong acids |
| Hazardous Decomp. Products | In combustion emits toxic fumes |

11. TOXICOLOGICAL INFORMATION

| | |
|----------------------------------|--|
| Toxicity Values | No data available |
| Skin Contact | May be mild irritation at the site of contact |
| Eye Contact | May be irritation and redness |
| Ingestion | May be irritation of the throat with a feeling of tightness in the chest |
| Inhalation | Immediate effect can be expected after short-term exposure |
| Delayed/Immediate Effects | Immediate effects can be expected |

12. ECOLOGICAL INFORMATION

| | |
|--------------------------------------|---|
| Ecotoxicity Values | No data available |
| Persistence and Degradability | Biodegradable |
| Bioaccumulative Potential | No bioaccumulation potential |
| Mobility in soil | |
| PBT and vPvB Assessment | This product is not identified as PBT substance |
| Other Adverse Effects | Negligible ecotoxicity |

13. DISPOSAL CONSIDERATIONS

| | |
|----------------------------|---|
| Disposal Operations | Transfer to a suitable container and arrange for collection by specialised disposal company |
| NB | The user's attention is drawn to the possible existence of regional/national regulations regarding disposal |

14. TRANSPORT INFORMATION

| | |
|------------------------|--|
| Transport Class | This product does not require a classification for transport |
|------------------------|--|

15. OTHER INFORMATION

| | |
|--------------------------|--|
| Other Information | This SDS is prepared in accordance with Commission Regulation (EU) No 453/2010 |
| Legal Disclaimer | The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. |

LIMITATION

BOSS Passive Fire Pty Ltd has provided the above technical information in good faith and to the best of its knowledge. This information was deemed to be correct at the time of publication. Should any data come to BOSS Passive Fire's attention relating to the fire resistance or performance of the product described BOSS Passive Fire reserve the right to amend this report.

BOSS Passive Fire strive to constantly improve and develop products so this information may change without notice.

The information contained herein has been developed as a guide only and it does not constitute a guarantee of compliance of all applications. Each project and/or application may have specific requirements and you should investigate these carefully. Ensure that you have read and understood the appropriate certification relative to your needs, and ensure you seek acceptance from the Certifying Authority or compliance inspector before installation. For updates on the range of BOSS Fire® certification please contact BOSS Technical Services on +61 2 9531 8591.

FURTHER INFORMATION

For additional technical information on the performance of BOSS FacadeGard™, other BOSS Fire® products or any other BOSS Fire® related information please contact us on:

AU:
1300 50 2677
Bossfire.com.au

NZ:
0800 50 2677
Bossfire.co.nz

Admin:

+612 9531 8591

info@bossfire.com.au

Unit 1, 16 Atkinson Rd Taren Point NSW 2229 AUSTRALIA